MISSISSIPPI STATE DEPARTMENT OF HEALTH BUREAU OF PUBLIC WATER SUPPLY

2016 JUN 22 AM 9: 20

CCR CERTIFICATION CALENDAR YEAR 2015
City of Flowood Public Water Supply Name
0610044 and 0610075
List PWS ID #s for all Community Water Systems included in this CCR
The Federal Safe Drinking Water Act (SDWA) requires each Community public water system to develop and distribute a Consumer Confidence Report (CCR) to its customers each year. Depending on the population served by the public water system, this CCR must be mailed or delivered to the customers, published in a newspaper of local circulation, or provided to the customers upon request. Make sure you follow the proper procedures when distributing the CCR. You must mail, fax or email a copy of the CCR and Certification to MSDH. Please check all boxes that apply.
Customers were informed of availability of CCR by: (Attach copy of publication, water bill or other)
Advertisement in local paper (attach copy of advertisement) On water bills (attach copy of bill) Email message (MUST Email the message to the address below) Other
Date(s) customers were informed:/,
CCR was distributed by U.S. Postal Service or other direct delivery. Must specify other direct delivery methods used <u>Mailout</u>
Date Mailed/Distributed: 6 / 16/ 2016
CCR was distributed by Email (MUST Email MSDH a copy)
CCR was published in local newspaper. (Attach copy of published CCR or proof of publication)
Name of Newspaper: The Rankin County News
Date Published: 6 / 8 / 2016 and 6/15/2016
CCR was posted in public places. (Attach list of locations) Date Posted:/
CCR was posted on a publicly accessible internet site at the following address (DIRECT URL REQUIRED):
CERTIFICATION

I hereby certify that the 2015 Consumer Confidence Report (CCR) has been distributed to the customers of this public water system in the form and manner identified above and that I used distribution methods allowed by the SDWA. I further certify that the information included in this CCR is true and correct and is consistent with the water quality monitoring data provided to the public water system officials by the Mississippi State Department of Health, Bureau of Public Water Supply.

Name/Title (President, Mayor, Owner, etc.)

Deliver or send via U.S. Postal Service: Bureau of Public Water Supply P.O. Box 1700 Jackson, MS 39215

May be emailed to:

May be faxed to: (601)576-7800

CCR Due to MSDH & Customers by July 1, 2016!

water.reports@msdh.ms.gov

2015 Annual Drinking Water Quality Report City of Flowood PWS#: 0610044 & 0610075 May 2016

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is from wells drawing from the Cockfield Formation and Sparta Sand Aquifer.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identified potential sources of contamination. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the City of Flowood have received lower to moderate susceptibility rankings to contamination.

If you have any questions about this report or concerning your water utility, please contact Ken Tucker at 601.624.8648. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the first and third Monday of each month at 6:30 PM at the Flowood City Hall located at 2101 Airport Road, Flowood, MS.

We routinely monitor for contaminants in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that were detected during the period of January 1st to December 31st, 2015. In cases where monitoring wasn't required in 2015, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which can be regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal"(MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) — The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary to control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) – The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2 000 years, or a single penny in \$10 000 000.

PWS ID #	7 UOTUU4	14	TEST RESU	ULTS				
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure -ment	MCLG	MCL	Likely Source of Contamination
Inorganic	Contai	minants	}					
10. Barium	N	2013*	.0053	.00510053	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natura deposits
13. Chromium	N	2013*	3.1	1.3 – 3.1	ppb	100	100	Discharge from steel and pulp mills; erosion of natural deposits
14. Copper	N	2011/13*	.5	0	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
16. Fluoride	N	2013*	.203	.179203	ppm	4	4	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2011/13*	1	0	ppb	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits

the optimal range of 0.7-1.3 ppm was 6. The percentage of fluoride samples collected in the previous calendar year that was within the optimal range of 0.7-1.3 ppm was 38%.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline 1-800-426-4791.

The City of Flowood works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

STATEMENT AS

2015 Annual Drinking Water Quality Report Gity of Flowcod PWS#: 0610044 & 0610075 May 2016

We're pleased to present to you this year's Annual Quality Water Report. This report is resigned to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understant the reflore we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water source is from wells drawing from the Cockleid Formation and Sparta Sand Aquiller.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identified potential sources of contamination. A report containing detailed information on how the susceptibility determinations were made has been full missing to compute water system and its available for viewing upon request. The wells for the City of Flowcod invested-work moderate susceptibility rankings to contembration.

If you have any questions about this report or concerning your water utility, please contact Ken Tucker at 601.624.8648. We want our valued custamers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are hold on the first and third Monday of each month at 6:30 PM at the Flowcod City Hall located at 2101 Airport Road, Flowcod, MS.

third Nonday of each month at 6:30 PM at the Flowcod City Hall located at 2101 Airport Road, Flowcod, MS.

We routinely monitor for contaminants in your drinking water according to Faderal and State Jawa. This table below, lists all of the drinking water contaminants that were delected during the period of January; It'd Docember 314; 2015. In cases where monitoring Wash Year (1906) has table and can pick up substances or contaminants from the presence of animals or from humoring miserals and, in some cases, and the state of the properties of the

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contembrant Level (MCL). The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Geal"(MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health, MCLGs sllow for a margin of safety.

Maximum Residuel Distriction Lovel (MRDL) — The highest level of a distriction allowed in drinking water. There is convincing evidence that addition of a distriction is necessary to control microbial contaminants. Maximum Residual Districtions Level Goal (MRDLG) — The level of a disking water distriction below which there is no known or expected risk of leastle. MRDLGs do not rollect the benefits of the use of districtions to control microbial contembants.

Parts per million (tyan) or Milligrams per liter (mg/l)- one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (pub) or Micrograms per iller - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000

Contaminant	Violation	Date	7	TEST RES	ひんよう			
	YIN	Gollected		Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure -ment	MCLG	MCL	Likely Source of Contemination
Inorganic	: Contai	minants	Š			1	J	1
10. Barlum	N	2013*	.0053	.00510053		·		· .
13. Chromium				.0001 - 10003	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; eroston of nature
is. Chromium	N	2013*	3.1	1.3 - 3.1	ppb	100	100	Cleanage
4. Copper	N	2011/13*	.5					Discharge from steel and pulp mills; crosion of natural deposits
				0	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; emails of natural domails.
6. Fluoride	N	2013*	.203	.179203	ppm	4		leaching from wood preservalives
7. Lead							7	Erosion of natural deposits; water additive which promotes strong teeth, discharge from fertilizer and aluminum factories
7. 4.000	N	2011/13*	1	0	ppb	0	AL=15	
			l					Corrosion of household plumbing systems, prosion of natural deposits
disinfection of the desired in the d	m By P	roducts	;					
1. HAA5	N	2013*	0	No Ronge	daa			
	1 .~		1		ppu	0	60	By-Product of drinking water

	Distillectio	n By-	Produc	ts					
	81. HAA5 82. TTHM	N.	2013*	0	No Range	dqq	0	60	By-Product of drinking water
	[Total Irihalomethanes]	N	2013*	14.44	No Range	pp	0	80	disinfection. By-product of drinking water chlorination,
1	Chlorine	N	2015	1.8	.7-3.2	mg/l	. 0	MDRL = 4	Waler additive used to control microbes
						-			

PWS ID #						TEST R	ESU	LTS							
Contaminant	Viols Y/	N	Date Collect	led	Level Delected	Range of Delect				MCLG	М	CL.	Likely Source of Contamination		
Inorganic	Conta	ami	nants	3				J.,	J		J	•••••			
8. Arsenic	N		2014*	1	.5	No Range		ppb	T	n/a		10	Erosion of natural deposits; runo from orchards; runoif from glass		
10. Barlum	N		2014*	1	.002 No Range			ppm	\dagger	2	2		and electronics production waste Discharge of drilling wastes; discharge from metal refineries;		
13. Chromium	N	-	2014*	e	3.6	No Range		ppb	-	100	100		erosion of natural deposits Discharge from stoel and pulp		
14. Copper	N N	-	2011/13*			0		maa	L				mills; erosion of natural deposits		
7. Lead	N											1.3	0 AL=15		Corresion of household plumbing systems; srasion of natural deposits; leaching from wood preservatives Corrosion of household plumbing systems, erosion of natural deposits
		1	2011/13•	- 1		0		ppb		0					
Disinfectio		,1.0	ducts												
1. HAA5	И	201	5	35	32	- 40	bôp		0	T	60	Ву-	Product of drinking water		
2, TTHM (otal ihalomethanes)	N .	201	5	34	17	- 49	ppb		0	 	80	By-	nfection. product of drinking water prination.		
hlorine	N	201	5	1.4	.6.	- 3	mg/i	+-	ō	MRD	.=4		ter additive used to control		

As you can see by the table, our system had no violations. We're groud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some constituents have been detected however the EPA has determined that your water IS SAFE at these levels.

We are required to monitor your drinking water for specific constituents on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. We did complete the monitoring requirements for bacteriological sampling that showed no colliform present. In an offort to ensure systems complete all monitoring requirements, NSOH now notifies systems of any missing samples prior to the end of the compliance period.

Significant Defictorcies

Significant Defictioncies

<u>Uning a spallery survey conducted on 9/20/13, the Mississipol State Department of Health cited the following significant deficiency: Inadequate application of treatment chomical and techniques (primary MCLs)

Corrective actions. This system has entered into a Bisteral Compilance Agreement with MSDH to correct this deficiency by 12/31/2016.</u>

If prosent, elevated (evels of load can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service times and home plumbing. Our water system is responsible for providing high quality materials but cannot confide the providing high quality minimize the potential for lead exposured in the highing your spill for 30 seconds to 2 minitudes before using water of drinking or coloning. If you are concerned about lead in your water, you may wish to have your water tested, information on load in drinking valent, using the policy of the providing that the providing the providing the providing that the providing that the providing the providing that the

To comply with the "Regulation Governing Fluoridation of Community Water Supplies", our system #0610044 is required to report certain results pertaining to fluoridation of our water system. The number of months in the previous calendar year in which average fluoride sample results were vittin of 0.7-1.3 ppm was 0. The percentage of fluoride samples collected in the previous calendar year that was within the optimal range.

Most recent sample. No sample required for 2015.
 Finoride level is routinely adjusted to the MS State Dept of Health's recommended level of 0.7 - 1.3 mg/l.

PROOF OF PUBLICATION

RANKIN COUNTY NEWS • P.O. BOX 107 • BRANDON, MS 39043

STATE OF MISSISSIPPI **COUNTY OF RANKIN**

THIS 15TH DAY OF IUNE, 2016, personally came Marcus Bowers, publisher of the Rankin Coun

2015 Annual Drinking Water Quality Report City of Floward PWS#: 0610044 & 0610075 May 2016

o present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we very day. Our constant goal is to provide you with a sate and dependable supply of drinking water. We want you to understand the to continually improve his water treatment process and protect our water resources. We are committed to ensuring the quality of your cource is from wells drawing from the Cockflaid Formalion and Sparts Sand Aquifer.

ar assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to ial sources of contamination. A report containing detailed information on how the susceptibility determinations were made has been public water system and its available for viewing upon request. The wells for the City of Flowood have received tower to moderate integrit containation.

questions about this report or concerning your water utility; please contact Ken Tucker at 801.524,8048. We want our valued customers bout their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the first and sech month at 030 PM at the frowcod CRy Hall blossed at 2101 Alport Road, Flowood, MS.

and in the containing at the Provided key half located at 210 August Read, Provided, National Read, Provided Re

i will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the one:

re concentration of a contaminant which, if exceeded, triggers breatment or other requirements which a water system must follow.

aminent Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are the MCLGs as lessible using the best available treatment technology.

aminent Level Gost (MCLG) - The "Goal"(MCLG) is the lavel of a contaminant in drinking water below which there is no known or health. MCLGs sllow for a margin of safety.

lual Distriction Lovel (MRDL) — The highest level of a distriction allowed in drinking water. There is convincing evidence that addition is necessary to control microbial contaminants.

'ual Districciant Level Goal (MRDLG) — The level of a drinking water, districciant below which there is no known or expected risk of a do not rolled the benefits of the use of districciants to control microbial conteminants.

(pon) or Milligrams per liter (mg/), one pari per million corresponds to one minute in two years or a single penny in \$10,000.

(ppb) or Micrograms per lifer - one part per billion corresponds to one minute in 2,000 years, or a single ponny in \$10,000,000.

06100	14		TEST RESU	ULTS			
Violation Y/N	Date Collected	Level Detected	Range of Datects or # of Samples Exceeding MCL/ACL	Unit Measure -ment	MCLG	MCL	Likely Source of Contemination
Contai	ninants						
N	2013*	.0053	.00510063	ррт	2	2	Discharge of drilling wastes; discharge from melal refineries; erosion of natura deposits
N	2013*	3.1	1.3 ~ 3.1	ppb	100	100	Discharge from steel and pulp mills; erosion of natural deposits
N	2011/13*	.5	0	ppm	1.3	AL≃1,3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
N	2013*	.203	.179203	ppm .	4	4	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilitzer and atuminum factories
N	2011/13*	1	0	ppb	0	AL∞15	Corrosion of household plumbing systems, erosion of natural deposits
n By-I	roducts	3			····	····	
N.	2013*	9	No Range	ppb	0	6	By-Product of drinking water disinfection.
N	2013*	14.44	No Range	ppb	0	8	8y-product of drinking water chlorination.
N	2015	1.8	.7 - 3.2	mg/l	. 0	MDRL=	4 Water additive used to control microbes

	Violation Y/N	Date Collec		Level Delected	Range of Del- # of Samp Exceedin MCL/AC	ies 19	Unit Measu -man	10	CLG	MC	_	Likely Source of Contamination	
: (Contan	inant	3										
	N	2014*		.5	No Range		bbp		n/a		- 1	Erosion of natural deposits; runof from orchards; runoff from glass and electronics production waster	
	N .			.002	No Range No Range		ddd		2 2			Discharge of drilling wasles; discharge from metal refineries; erosion of natural deposits	
	N			8.6					100	101		Discharge from steel and pulp mills; erosion of natural deposit	
	N 2011/1		011/13* .3		0		ppm		1.3	AL≃1.3		Corrosion of household plumbin systems; erosion of natural deposits; leaching from wood preservatives	
	N	2011/1:	011/13° 2 0 ppb			0	AL¤	1	Corrosion of household plumbing systems, crosion of natural deposits				
10	n By-P	roduci	s										
	N	2015 35		:	32 - 40	ppb		0		60		Product of drinking water nfection.	
	N				17 - 49 ppb			0		80		By-product of drinking water chlorination.	
	N 2015		1.	4 .	6-3	mg/l		0	MRI			ter additive used to control robes	

TEST RESULTS

0610075

ample. No sample required for 2015. It is routinely adjusted to the MS State Dept of Health's recommended level of 0.7 - 1.3 mg/l.

by the table, our system had no violations. We're proud that your drinking water meets or exceeds all Federal and State requirements of through our monitoring and testing that some constituents have been detected however the EPA has determined that your water IS

a weekly newspaper printed and published in the City of Branc County of Rankin and State aforesaid, before me the undersigned and for said County and State, who being duly sworn, depose that said newspaper has been published for more than 12 mont the first publication of the attached notice and is qualified unde 13-3-31, Laws of Mississippi, 1936, and laws supplementary and a thereto, and that a certain

2015 ANNUAL DRINKING WATER QUALITY REPOR

CITY OF FLOWOOD

a copy of which is hereto attached, was published in said news (2) consecutive weeks, as follows, to-wit:

Vol 168 No. 47 on the 8th day of June, 2016

Vol 168 No. 48 on the 15th day of June, 2016

Marcus Bowers

PANKIN COUN

MARCUS BOWERS, Publisher

Sworn to and subscribed before me by the aforementioned Marcus Bowers this 15th day of June, 2016

> nces Conque Notary Public FRANCES CONGER My Commission Expires: January 25, 2018

PRINTER'S FEE:

3 column by 15.9 inched at \$7.50 per column inch per week......... 28593 NOTARY PUBLIC Comm Expires January 25, 2013 TOTA